

Active Maine Anjou Sires
Spring 2016 Genetic Evaluation on IGS COMMON BASE

Percentile Level	Calving Ease	Birth Weight	Weaning Weight	Yearling Weight	Maternal Calving Ease	Maternal Milk	Maternal Wean Wt	Carcass Weight	Fat Thick.	Ribeye Area	Marbling	Pct. Retail Cuts
1	16.3	-3.4	74.7	108.3	10.5	33.7	60.7	40.1	-0.15	0.44	0.24	1.13
2	14.5	-2.2	68.8	97.6	9.5	31.7	57.8	34.5	-0.15	0.40	0.20	1.10
3	13.6	-1.7	66.2	93.3	9.0	30.1	56.3	32.0	-0.15	0.38	0.18	0.99
4	13.0	-1.4	64.3	90.2	8.5	29.2	55.0	29.4	-0.10	0.37	0.16	0.78
5	12.7	-1.2	62.7	87.9	8.1	28.5	54.1	27.8	-0.09	0.35	0.16	0.71
10	11.4	-0.3	58.9	80.4	6.8	26.0	51.3	22.6	-0.06	0.31	0.13	0.55
15	10.5	0.1	56.2	76.3	5.9	24.6	49.5	20.0	-0.05	0.28	0.11	0.48
20	9.8	0.5	54.5	73.6	5.1	23.6	48.1	18.0	-0.05	0.27	0.09	0.46
25	9.1	0.8	52.9	71.3	4.5	22.8	47.0	16.4	-0.05	0.25	0.08	0.41
30	8.6	1.1	51.4	69.2	4.0	22.0	46.0	14.8	-0.04	0.23	0.07	0.39
35	8.1	1.4	50.3	67.2	3.4	21.3	45.2	13.5	-0.04	0.22	0.05	0.39
40	7.7	1.6	49.2	65.5	3.0	20.6	44.5	12.1	-0.04	0.21	0.04	0.37
45	7.3	1.9	48.1	63.9	2.6	20.0	43.8	11.0	-0.04	0.20	0.03	0.35
50	6.9	2.1	47.1	62.2	2.2	19.5	43.0	9.7	-0.04	0.19	0.02	0.32
55	6.4	2.3	46.0	60.4	1.8	18.9	42.3	8.5	-0.03	0.18	0.02	0.30
60	6.0	2.5	45.0	58.6	1.5	18.4	41.7	7.1	-0.03	0.17	0.01	0.30
65	5.6	2.8	44.0	57.0	1.1	17.8	41.1	5.8	-0.03	0.16	-0.01	0.28
70	5.1	3.1	43.0	55.1	0.6	17.0	40.4	4.5	-0.03	0.15	-0.02	0.25
75	4.6	3.4	41.8	53.4	0.1	16.2	39.5	3.1	-0.03	0.14	-0.03	0.23
80	4.0	3.7	40.5	51.5	-0.4	15.4	38.5	1.6	-0.02	0.12	-0.04	0.21
85	3.3	4.0	38.8	49.0	-1.1	14.5	37.3	-0.2	-0.02	0.11	-0.06	0.18
90	2.5	4.5	36.6	45.8	-2.1	13.2	35.5	-2.5	-0.02	0.08	-0.08	0.14
95	0.9	5.3	32.6	41.1	-3.8	10.3	32.4	-6.3	-0.01	0.04	-0.13	0.09
Average	6.9	2.1	47.5	62.9	2.2	19.5	43.3	10.0	-0.04	0.19	0.02	0.35
Low	-8.0	-14.1	7.3	0.8	-15.2	-9.9	11.1	-34.3	-0.15	-0.32	-0.32	-0.28
High	31.4	11.1	112.0	180.7	16.5	44.6	77.8	80.4	0.04	0.79	0.76	1.22

>= 75% Maine Anjou

Active Maine Anjou Dams
Spring 2016 Genetic Evaluation on IGS COMMON BASE

Percentile Level	Calving Ease	Birth Weight	Weaning Weight	Yearling Weight	Maternal Calving Ease	Maternal Milk	Maternal Wean Wt	Carcass Weight	Fat Thick.	Ribeye Area	Marbling	Pct. Retail Cuts
1	14.2	-2.9	69.9	99.1	9.8	33.2	61.2	37.5	-0.15	0.42	0.24	1.13
2	13.4	-2.1	66.9	93.6	9.1	30.8	58.0	32.6	-0.12	0.39	0.20	0.94
3	12.8	-1.6	64.7	90.0	8.4	29.7	56.5	30.1	-0.10	0.37	0.18	0.76
4	12.4	-1.3	63.0	87.5	8.1	28.7	55.4	28.4	-0.09	0.36	0.16	0.71
5	12.0	-1.0	61.9	85.5	7.8	27.9	54.5	27.1	-0.09	0.35	0.16	0.67
10	10.9	-0.3	58.3	79.7	6.8	25.6	51.4	22.7	-0.07	0.31	0.12	0.53
15	10.2	0.2	56.1	76.2	5.9	24.4	49.6	20.1	-0.06	0.28	0.11	0.48
20	9.6	0.6	54.5	73.7	5.3	23.3	48.3	18.0	-0.05	0.27	0.09	0.46
25	9.0	0.9	53.1	71.5	4.7	22.5	47.3	16.4	-0.05	0.25	0.08	0.44
30	8.6	1.1	51.8	69.8	4.2	21.7	46.3	15.1	-0.04	0.23	0.07	0.41
35	8.1	1.4	50.8	68.0	3.7	21.1	45.6	13.7	-0.04	0.22	0.05	0.39
40	7.8	1.6	49.8	66.3	3.4	20.4	44.7	12.5	-0.04	0.21	0.04	0.37
45	7.4	1.8	48.8	64.7	2.9	19.8	44.0	11.4	-0.04	0.20	0.03	0.35
50	7.0	2.1	47.8	63.2	2.5	19.2	43.2	10.1	-0.04	0.20	0.02	0.35
55	6.6	2.3	46.8	61.7	2.1	18.6	42.5	9.0	-0.04	0.19	0.01	0.32
60	6.2	2.5	45.9	60.0	1.8	18.0	41.7	7.8	-0.03	0.18	0.00	0.30
65	5.8	2.7	44.9	58.4	1.4	17.3	40.9	6.6	-0.03	0.17	-0.01	0.28
70	5.3	3.0	43.8	56.6	1.0	16.7	40.0	5.2	-0.03	0.16	-0.02	0.28
75	4.9	3.3	42.8	54.6	0.5	16.0	39.1	3.7	-0.03	0.15	-0.03	0.25
80	4.3	3.6	41.5	52.3	-0.1	15.2	38.0	1.9	-0.03	0.13	-0.04	0.23
85	3.7	4.1	40.0	49.8	-0.7	14.2	36.9	0.1	-0.02	0.12	-0.05	0.21
90	3.0	4.6	37.7	46.8	-1.6	12.7	35.3	-1.9	-0.02	0.10	-0.07	0.16
95	1.8	5.4	34.7	42.7	-2.8	10.2	32.5	-4.9	-0.01	0.06	-0.10	0.12
Average	6.9	2.1	48.0	63.5	2.5	19.2	43.3	10.4	-0.04	0.20	0.03	0.36
Low	-5.3	-8.4	15.4	10.1	-14.6	-8.2	14.7	-29.9	-0.18	-0.22	-0.35	-0.21
High	18.2	12.9	90.4	141.0	14.1	42.3	77.0	60.8	0.07	0.73	0.65	1.38

>= 75% Maine Anjou

Maine Anjou Nonparent Bulls
Spring 2016 Genetic Evaluation on IGS COMMON BASE

Percentile Level	Calving Ease	Birth Weight	Weaning Weight	Yearling Weight	Maternal Calving Ease	Maternal Milk	Maternal Wean Wt	Carcass Weight	Fat Thick.	Ribeye Area	Marbling	Pct. Retail Cuts
1	15.3	-3.5	69.7	101.5	9.6	31.9	58.9	37.1	-0.10	0.44	0.36	0.76
2	14.2	-2.7	66.4	94.4	8.9	30.2	56.6	33.0	-0.09	0.40	0.30	0.69
3	13.7	-2.3	64.7	91.9	8.4	28.9	55.3	30.2	-0.08	0.37	0.26	0.67
4	13.3	-2.0	63.3	90.0	8.0	28.0	53.7	28.5	-0.08	0.34	0.25	0.62
5	12.8	-1.8	62.2	87.9	7.7	27.3	52.9	27.3	-0.07	0.33	0.23	0.60
10	11.6	-1.0	58.3	81.2	6.5	24.7	49.8	22.9	-0.06	0.30	0.17	0.53
15	10.8	-0.4	56.1	77.2	5.8	23.3	48.3	20.1	-0.05	0.28	0.14	0.48
20	10.3	0.0	54.6	74.5	5.3	22.3	47.4	18.0	-0.05	0.27	0.12	0.46
25	9.7	0.3	53.0	72.3	4.8	21.6	46.5	16.2	-0.05	0.25	0.10	0.44
30	9.3	0.6	51.8	69.7	4.5	21.0	45.7	14.5	-0.04	0.24	0.09	0.41
35	8.8	0.8	50.8	67.9	4.1	20.4	44.9	13.1	-0.04	0.23	0.07	0.39
40	8.5	1.1	49.5	66.3	3.8	19.8	44.1	11.9	-0.04	0.22	0.06	0.37
45	8.1	1.3	48.6	64.6	3.4	19.4	43.5	10.8	-0.04	0.21	0.05	0.37
50	7.7	1.6	47.7	63.2	3.1	18.9	42.8	9.5	-0.04	0.21	0.04	0.35
55	7.4	1.8	46.7	61.5	2.6	18.4	42.2	8.3	-0.03	0.20	0.03	0.32
60	7.0	2.1	45.7	59.8	2.2	17.9	41.5	7.1	-0.03	0.19	0.02	0.30
65	6.6	2.4	44.4	58.2	1.8	17.4	40.8	5.7	-0.03	0.18	0.01	0.30
70	6.2	2.6	43.4	56.1	1.4	16.9	40.2	4.0	-0.03	0.17	0.00	0.28
75	5.8	2.9	42.2	54.2	0.9	16.2	39.4	2.5	-0.03	0.16	-0.01	0.25
80	5.3	3.2	41.0	52.0	0.4	15.6	38.5	0.9	-0.02	0.15	-0.02	0.23
85	4.7	3.7	39.2	49.7	-0.3	14.7	37.6	-0.8	-0.02	0.13	-0.03	0.21
90	4.0	4.2	37.0	45.8	-1.2	13.8	36.1	-3.3	-0.02	0.12	-0.05	0.16
95	3.0	5.2	33.4	41.4	-2.4	12.2	33.9	-7.1	-0.01	0.09	-0.07	0.12
Average	7.8	1.6	47.7	63.4	2.9	19.1	43.0	9.7	-0.04	0.21	0.05	0.35
Low	-6.0	-8.0	11.1	7.4	-9.3	-3.0	15.9	-31.6	-0.13	-0.10	-0.21	-0.14
High	20.3	10.6	80.6	112.9	11.0	38.0	65.3	48.4	0.02	0.72	0.59	0.99

>= 75% Maine Anjou

Maine Anjou Nonparent Cows
Spring 2016 Genetic Evaluation on IGS COMMON BASE

Percentile Level	Calving Ease	Birth Weight	Weaning Weight	Yearling Weight	Maternal Calving Ease	Maternal Milk	Maternal Wean Wt	Carcass Weight	Fat Thick.	Ribeye Area	Marbling	Pct. Retail Cuts
1	14.7	-3.3	68.3	96.8	8.8	29.6	57.1	35.4	-0.10	0.41	0.27	0.78
2	13.7	-2.5	65.4	92.1	8.2	28.0	54.9	31.9	-0.09	0.38	0.24	0.74
3	13.0	-2.1	63.7	88.6	7.8	27.3	53.2	29.2	-0.08	0.35	0.21	0.69
4	12.6	-1.7	62.1	86.6	7.3	26.6	52.4	27.4	-0.08	0.34	0.19	0.64
5	12.2	-1.5	61.3	85.2	7.1	25.9	51.6	26.3	-0.08	0.33	0.18	0.62
10	11.1	-0.7	57.5	79.4	6.1	24.1	49.3	22.0	-0.06	0.30	0.14	0.53
15	10.4	-0.3	55.4	75.8	5.5	23.1	48.0	19.3	-0.06	0.28	0.12	0.48
20	9.9	0.1	53.7	73.3	4.9	22.4	47.1	17.4	-0.05	0.26	0.10	0.46
25	9.4	0.4	52.4	71.2	4.4	21.7	46.2	15.8	-0.05	0.25	0.09	0.44
30	9.0	0.6	51.2	68.9	4.0	21.1	45.5	14.3	-0.05	0.24	0.08	0.41
35	8.6	0.9	50.1	67.2	3.7	20.6	44.7	13.0	-0.04	0.23	0.06	0.39
40	8.2	1.2	49.2	65.6	3.3	20.1	44.1	11.7	-0.04	0.22	0.05	0.39
45	7.8	1.4	48.0	63.9	3.0	19.6	43.4	10.4	-0.04	0.21	0.04	0.37
50	7.5	1.7	47.2	62.3	2.7	19.2	42.8	9.2	-0.04	0.20	0.03	0.35
55	7.1	1.9	46.2	61.0	2.4	18.8	42.2	8.2	-0.04	0.19	0.02	0.35
60	6.7	2.1	45.3	59.4	2.0	18.4	41.7	7.0	-0.03	0.19	0.01	0.32
65	6.3	2.4	44.4	57.9	1.6	17.8	41.0	5.7	-0.03	0.18	0.00	0.30
70	5.9	2.7	43.4	56.3	1.2	17.3	40.3	4.5	-0.03	0.17	-0.01	0.30
75	5.4	3.1	42.3	54.5	0.7	16.7	39.5	3.1	-0.03	0.16	-0.02	0.28
80	5.0	3.4	41.1	52.5	0.2	16.1	38.8	1.6	-0.03	0.15	-0.03	0.25
85	4.5	3.8	39.7	50.3	-0.4	15.3	37.8	-0.3	-0.03	0.13	-0.04	0.23
90	3.7	4.4	37.6	47.2	-1.1	14.2	36.7	-2.6	-0.02	0.12	-0.05	0.21
95	2.6	5.4	33.8	41.1	-2.3	12.6	34.9	-6.7	-0.02	0.09	-0.07	0.16
Average	7.4	1.8	47.4	62.8	2.6	19.2	43.0	9.5	-0.04	0.20	0.04	0.37
Low	-3.9	-8.4	7.7	-0.6	-8.7	3.7	14.9	-39.5	-0.14	-0.11	-0.19	-0.25
High	19.6	11.4	99.3	138.5	11.7	38.6	72.6	58.0	0.03	0.58	0.51	0.94

>= 75% Maine Anjou

**Active MaineTainer Sires
Spring 2016 Genetic Evaluation on IGS COMMON BASE**

Percentile Level	Calving Ease	Birth Weight	Weaning Weight	Yearling Weight	Maternal Calving Ease	Maternal Milk	Maternal Wean Wt	Carcass Weight	Fat Thick.	Ribeye Area	Marbling	Pct. Retail Cuts
1	14.8	-2.3	66.0	90.5	9.5	28.2	52.8	29.8	-0.12	0.45	0.32	0.85
2	13.8	-1.8	60.8	85.8	8.8	27.0	50.6	23.4	-0.10	0.41	0.30	0.81
3	13.2	-1.6	59.2	81.1	8.2	26.3	49.6	21.9	-0.09	0.37	0.27	0.71
4	12.8	-1.3	57.9	79.1	7.8	25.6	48.9	20.9	-0.09	0.35	0.26	0.69
5	12.5	-1.1	57.1	77.5	7.3	25.1	48.4	20.1	-0.08	0.34	0.25	0.67
10	11.5	-0.5	53.7	72.9	6.1	23.3	46.3	17.0	-0.07	0.30	0.21	0.60
15	10.6	-0.1	51.7	69.8	5.4	22.2	44.9	14.7	-0.06	0.27	0.19	0.53
20	9.9	0.2	50.1	67.7	4.6	21.3	43.8	13.3	-0.05	0.25	0.17	0.48
25	9.3	0.6	48.8	65.7	3.9	20.5	42.9	11.7	-0.05	0.23	0.15	0.44
30	8.7	0.8	47.5	63.5	3.3	19.9	42.1	10.4	-0.05	0.22	0.13	0.44
35	8.2	1.0	46.5	61.8	2.6	19.5	41.5	9.4	-0.04	0.20	0.12	0.39
40	7.8	1.2	45.5	60.2	2.2	18.9	40.9	8.1	-0.04	0.19	0.11	0.37
45	7.4	1.4	44.6	58.7	1.7	18.4	40.4	7.0	-0.04	0.18	0.10	0.35
50	6.9	1.6	43.8	57.1	1.3	17.7	39.8	6.1	-0.03	0.17	0.09	0.35
55	6.5	1.8	43.0	56.0	0.8	17.0	39.1	5.1	-0.03	0.16	0.08	0.32
60	6.0	2.0	42.2	54.4	0.4	16.4	38.5	4.0	-0.03	0.15	0.07	0.30
65	5.6	2.2	41.5	53.0	-0.2	15.9	37.8	2.6	-0.03	0.14	0.05	0.28
70	5.0	2.4	40.3	51.4	-0.7	15.3	37.0	1.7	-0.02	0.13	0.04	0.25
75	4.4	2.6	39.1	49.7	-1.5	14.6	36.3	0.6	-0.02	0.11	0.03	0.23
80	3.9	2.9	37.7	48.0	-2.5	14.0	35.3	-0.5	-0.02	0.10	0.01	0.21
85	3.4	3.2	36.3	45.7	-3.3	13.2	34.4	-1.9	-0.02	0.09	-0.02	0.18
90	2.3	3.6	34.1	42.4	-4.4	12.2	33.1	-4.0	-0.01	0.07	-0.03	0.16
95	1.2	4.3	30.7	38.0	-6.4	10.6	31.4	-6.9	0.00	0.04	-0.08	0.09
Average	6.9	1.6	44.0	57.7	1.0	17.7	39.7	6.3	-0.04	0.18	0.09	0.35
Low	-4.8	-5.7	14.8	14.4	-16.7	-15.5	21.8	-22.8	-0.15	-0.23	-0.21	-0.12
High	19.3	8.4	74.5	107.8	13.3	33.6	59.3	39.9	0.06	0.56	0.47	1.10

**Active MaineTainer Dams
Spring 2016 Genetic Evaluation on IGS COMMON BASE**

Percentile Level	Calving Ease	Birth Weight	Weaning Weight	Yearling Weight	Maternal Calving Ease	Maternal Milk	Maternal Wean Wt	Carcass Weight	Fat Thick.	Ribeye Area	Marbling	Pct. Retail Cuts
1	14.1	-2.5	63.5	88.8	9.4	29.3	55.0	27.7	-0.14	0.43	0.34	1.01
2	13.3	-2.0	60.9	85.1	8.4	27.4	52.5	25.6	-0.12	0.38	0.30	0.87
3	12.7	-1.6	59.3	82.5	7.7	26.5	51.3	24.1	-0.12	0.35	0.27	0.83
4	12.4	-1.3	58.2	81.0	7.3	25.8	50.4	22.4	-0.11	0.34	0.26	0.78
5	12.1	-1.1	57.4	79.7	7.0	25.2	49.8	21.5	-0.10	0.32	0.25	0.76
10	11.0	-0.5	54.6	74.6	5.9	23.3	47.6	18.1	-0.08	0.29	0.21	0.62
15	10.2	0.0	52.7	71.8	5.1	22.2	46.1	16.0	-0.07	0.26	0.18	0.55
20	9.6	0.3	51.1	69.3	4.4	21.4	44.9	14.4	-0.06	0.25	0.16	0.51
25	9.1	0.6	49.9	67.4	3.8	20.8	44.1	12.9	-0.06	0.23	0.14	0.48
30	8.6	0.8	48.8	65.4	3.3	20.2	43.3	11.6	-0.05	0.22	0.13	0.44
35	8.2	1.0	47.8	63.7	2.8	19.5	42.5	10.5	-0.05	0.21	0.12	0.41
40	7.9	1.2	46.9	62.3	2.4	18.9	41.9	9.3	-0.04	0.19	0.11	0.39
45	7.6	1.4	46.1	60.8	2.0	18.4	41.2	8.2	-0.04	0.18	0.10	0.37
50	7.2	1.6	45.2	59.5	1.6	17.9	40.7	7.0	-0.04	0.17	0.08	0.35
55	6.9	1.8	44.5	57.9	1.2	17.4	40.0	6.0	-0.03	0.16	0.07	0.32
60	6.5	1.9	43.7	56.2	0.9	16.9	39.2	5.0	-0.03	0.15	0.06	0.30
65	6.1	2.2	42.7	54.7	0.6	16.4	38.5	4.0	-0.03	0.14	0.05	0.28
70	5.6	2.4	41.6	53.2	0.1	15.8	37.7	2.9	-0.03	0.13	0.03	0.28
75	5.1	2.6	40.4	51.5	-0.4	15.1	36.8	1.8	-0.03	0.11	0.02	0.25
80	4.5	2.9	39.2	49.4	-1.2	14.3	35.9	0.5	-0.02	0.10	0.00	0.23
85	3.9	3.2	37.6	47.2	-2.4	13.3	34.7	-1.2	-0.02	0.08	-0.03	0.21
90	3.1	3.7	35.5	44.4	-3.6	11.8	33.1	-3.5	-0.02	0.07	-0.05	0.16
95	2.0	4.3	32.8	40.0	-5.1	9.8	31.0	-6.4	-0.01	0.03	-0.10	0.12
Average	7.1	1.6	45.2	59.4	1.4	17.8	40.5	7.3	-0.04	0.17	0.08	0.38
Low	-3.6	-6.1	10.5	9.5	-16.9	-0.8	17.7	-25.6	-0.23	-0.30	-0.36	-0.18
High	17.6	9.4	77.3	115.7	13.0	45.6	74.4	45.3	0.04	0.86	0.53	1.59

MaineTainer Nonparent Bulls
Spring 2016 Genetic Evaluation on IGS COMMON BASE

Percentile Level	Calving Ease	Birth Weight	Weaning Weight	Yearling Weight	Maternal Calving Ease	Maternal Milk	Maternal Wean Wt	Carcass Weight	Fat Thick.	Ribeye Area	Marbling	Pct. Retail Cuts
1	15.1	-3.1	68.4	97.6	9.3	26.4	53.6	32.0	-0.11	0.45	0.38	0.81
2	14.1	-2.5	64.3	91.7	8.5	25.1	51.4	29.3	-0.10	0.41	0.35	0.71
3	13.7	-2.1	62.3	87.5	7.9	24.5	50.2	26.9	-0.09	0.37	0.31	0.69
4	13.5	-1.9	60.7	85.4	7.6	24.0	49.5	24.8	-0.08	0.36	0.29	0.66
5	13.1	-1.7	59.5	83.9	7.4	23.6	48.7	23.5	-0.08	0.35	0.27	0.64
10	11.8	-1.1	56.1	77.4	6.1	22.3	46.9	19.2	-0.07	0.30	0.23	0.55
15	11.0	-0.7	53.9	74.0	5.5	21.4	45.5	16.7	-0.06	0.27	0.20	0.48
20	10.5	-0.3	52.4	71.1	4.8	20.7	44.7	15.2	-0.05	0.25	0.17	0.46
25	9.9	0.0	50.8	68.9	4.2	20.2	43.8	13.6	-0.05	0.24	0.16	0.44
30	9.5	0.3	49.6	67.1	3.7	19.7	43.0	12.1	-0.04	0.22	0.14	0.41
35	9.0	0.6	48.6	65.3	3.3	19.3	42.4	10.9	-0.04	0.21	0.13	0.39
40	8.5	0.8	47.5	63.5	2.8	18.9	41.8	9.8	-0.04	0.20	0.12	0.37
45	8.1	1.1	46.3	61.9	2.5	18.4	41.1	8.7	-0.04	0.19	0.10	0.35
50	7.6	1.3	45.3	60.3	2.1	18.0	40.6	7.6	-0.03	0.18	0.09	0.32
55	7.3	1.5	44.4	58.8	1.8	17.5	40.0	6.6	-0.03	0.16	0.08	0.32
60	6.8	1.8	43.6	57.1	1.3	17.0	39.5	5.3	-0.03	0.15	0.07	0.30
65	6.5	2.0	42.6	55.5	0.8	16.6	38.9	4.2	-0.03	0.14	0.06	0.28
70	6.0	2.3	41.7	54.0	0.1	16.0	38.2	3.0	-0.03	0.13	0.05	0.25
75	5.6	2.6	40.6	52.2	-0.7	15.4	37.6	1.5	-0.02	0.12	0.04	0.25
80	5.0	2.9	39.3	50.3	-1.7	14.8	36.8	0.2	-0.02	0.11	0.02	0.23
85	4.3	3.3	37.6	47.8	-2.8	14.0	35.8	-1.7	-0.02	0.09	0.00	0.18
90	3.4	3.8	35.1	44.3	-3.9	13.0	34.5	-4.3	-0.01	0.08	-0.03	0.16
95	2.1	4.6	31.7	39.5	-5.5	11.5	32.4	-7.4	-0.01	0.04	-0.07	0.12
Average	7.7	1.3	45.7	60.8	1.6	17.8	40.7	7.7	-0.04	0.18	0.10	0.34
Low	-2.9	-5.4	13.4	6.1	-11.5	2.7	19.6	-34.4	-0.13	-0.17	-0.31	-0.28
High	17.7	8.8	86.7	130.6	11.4	32.3	61.0	57.6	0.03	0.73	0.90	1.04

MaineTainer Nonparent Cows
Spring 2016 Genetic Evaluation on IGS COMMON BASE

Percentile Level	Calving Ease	Birth Weight	Weaning Weight	Yearling Weight	Maternal Calving Ease	Maternal Milk	Maternal Wean Wt	Carcass Weight	Fat Thick.	Ribeye Area	Marbling	Pct. Retail Cuts
1	14.6	-3.1	64.4	92.3	8.6	25.9	52.2	28.6	-0.11	0.42	0.35	0.81
2	13.8	-2.4	61.5	86.5	7.6	24.9	50.2	25.6	-0.10	0.38	0.31	0.74
3	13.3	-2.1	59.4	83.0	7.2	24.3	49.3	23.6	-0.10	0.36	0.28	0.71
4	12.8	-1.9	57.9	81.0	6.8	23.9	48.6	21.9	-0.09	0.35	0.25	0.69
5	12.4	-1.7	57.1	79.2	6.5	23.4	47.9	21.0	-0.09	0.33	0.25	0.67
10	11.4	-1.0	53.7	74.2	5.4	22.2	45.9	17.2	-0.07	0.29	0.20	0.60
15	10.6	-0.5	51.8	70.9	4.6	21.4	44.7	14.9	-0.06	0.26	0.18	0.53
20	10.1	-0.2	50.3	68.5	4.0	20.8	43.8	13.4	-0.06	0.24	0.16	0.51
25	9.6	0.1	49.1	66.4	3.5	20.3	43.1	12.0	-0.05	0.23	0.14	0.46
30	9.2	0.3	48.2	64.6	3.1	19.9	42.5	10.8	-0.05	0.22	0.13	0.44
35	8.8	0.6	47.2	63.1	2.7	19.4	41.9	9.7	-0.05	0.21	0.12	0.41
40	8.4	0.9	46.3	61.7	2.4	19.0	41.3	8.7	-0.04	0.20	0.11	0.39
45	8.0	1.1	45.4	60.2	2.1	18.6	40.9	7.7	-0.04	0.19	0.10	0.39
50	7.6	1.3	44.6	59.0	1.7	18.1	40.3	6.6	-0.04	0.17	0.09	0.37
55	7.2	1.5	43.7	57.6	1.3	17.7	39.9	5.7	-0.04	0.16	0.08	0.35
60	6.8	1.7	42.9	56.3	0.8	17.2	39.3	4.7	-0.03	0.15	0.07	0.32
65	6.5	1.9	42.1	54.9	0.3	16.7	38.7	3.7	-0.03	0.14	0.06	0.30
70	6.1	2.2	41.1	53.5	-0.3	16.2	38.1	2.5	-0.03	0.13	0.05	0.30
75	5.6	2.4	40.1	51.8	-1.1	15.6	37.4	1.2	-0.03	0.12	0.03	0.28
80	5.1	2.7	38.9	49.8	-2.0	15.0	36.5	-0.2	-0.02	0.11	0.01	0.25
85	4.4	3.0	37.2	47.4	-3.0	14.2	35.5	-1.9	-0.02	0.09	-0.01	0.23
90	3.7	3.4	35.4	44.2	-4.0	13.2	34.3	-4.4	-0.02	0.07	-0.04	0.21
95	2.4	4.2	31.8	38.9	-5.5	11.7	32.4	-8.0	-0.01	0.03	-0.09	0.14
Average	7.6	1.3	44.6	59.1	1.1	17.9	40.2	6.6	-0.04	0.18	0.09	0.38
Low	-4.3	-7.7	15.3	16.7	-14.3	-0.1	15.7	-29.9	-0.13	-0.30	-0.26	-0.09
High	17.5	10.2	81.9	117.0	11.2	30.3	61.8	48.1	0.03	0.75	0.49	1.08