

**Active Maine Anjou Sires**  
**Spring 2016 Genetic Evaluation on IGS COMMON BASE**

Percentile Level	Calving Ease	Birth Weight	Weaning Weight	Yearling Weight	Maternal Calving Ease	Maternal Milk	Maternal Wean Wt	Carcass Weight	Fat Thick.	Ribeye Area	Marbling	Pct. Retail Cuts
1	16.3	-3.4	74.7	108.3	10.5	33.7	60.7	40.1	-0.15	0.44	0.24	1.13
2	14.5	-2.2	68.8	97.6	9.5	31.7	57.8	34.5	-0.15	0.40	0.20	1.10
3	13.6	-1.7	66.2	93.3	9.0	30.1	56.3	32.0	-0.15	0.38	0.18	0.99
4	13.0	-1.4	64.3	90.2	8.5	29.2	55.0	29.4	-0.10	0.37	0.16	0.78
5	12.7	-1.2	62.7	87.9	8.1	28.5	54.1	27.8	-0.09	0.35	0.16	0.71
10	11.4	-0.3	58.9	80.4	6.8	26.0	51.3	22.6	-0.06	0.31	0.13	0.55
15	10.5	0.1	56.2	76.3	5.9	24.6	49.5	20.0	-0.05	0.28	0.11	0.48
20	9.8	0.5	54.5	73.6	5.1	23.6	48.1	18.0	-0.05	0.27	0.09	0.46
25	9.1	0.8	52.9	71.3	4.5	22.8	47.0	16.4	-0.05	0.25	0.08	0.41
30	8.6	1.1	51.4	69.2	4.0	22.0	46.0	14.8	-0.04	0.23	0.07	0.39
35	8.1	1.4	50.3	67.2	3.4	21.3	45.2	13.5	-0.04	0.22	0.05	0.39
40	7.7	1.6	49.2	65.5	3.0	20.6	44.5	12.1	-0.04	0.21	0.04	0.37
45	7.3	1.9	48.1	63.9	2.6	20.0	43.8	11.0	-0.04	0.20	0.03	0.35
50	6.9	2.1	47.1	62.2	2.2	19.5	43.0	9.7	-0.04	0.19	0.02	0.32
55	6.4	2.3	46.0	60.4	1.8	18.9	42.3	8.5	-0.03	0.18	0.02	0.30
60	6.0	2.5	45.0	58.6	1.5	18.4	41.7	7.1	-0.03	0.17	0.01	0.30
65	5.6	2.8	44.0	57.0	1.1	17.8	41.1	5.8	-0.03	0.16	-0.01	0.28
70	5.1	3.1	43.0	55.1	0.6	17.0	40.4	4.5	-0.03	0.15	-0.02	0.25
75	4.6	3.4	41.8	53.4	0.1	16.2	39.5	3.1	-0.03	0.14	-0.03	0.23
80	4.0	3.7	40.5	51.5	-0.4	15.4	38.5	1.6	-0.02	0.12	-0.04	0.21
85	3.3	4.0	38.8	49.0	-1.1	14.5	37.3	-0.2	-0.02	0.11	-0.06	0.18
90	2.5	4.5	36.6	45.8	-2.1	13.2	35.5	-2.5	-0.02	0.08	-0.08	0.14
95	0.9	5.3	32.6	41.1	-3.8	10.3	32.4	-6.3	-0.01	0.04	-0.13	0.09
<b>Average</b>	6.9	2.1	47.5	62.9	2.2	19.5	43.3	10.0	-0.04	0.19	0.02	0.35
<b>Low</b>	-8.0	-14.1	7.3	0.8	-15.2	-9.9	11.1	-34.3	-0.15	-0.32	-0.32	-0.28
<b>High</b>	31.4	11.1	112.0	180.7	16.5	44.6	77.8	80.4	0.04	0.79	0.76	1.22

>= 75% Maine Anjou

**Active Maine Anjou Dams**  
**Spring 2016 Genetic Evaluation on IGS COMMON BASE**

Percentile Level	Calving Ease	Birth Weight	Weaning Weight	Yearling Weight	Maternal Calving Ease	Maternal Milk	Maternal Wean Wt	Carcass Weight	Fat Thick.	Ribeye Area	Marbling	Pct. Retail Cuts
1	14.2	-2.9	69.9	99.1	9.8	33.2	61.2	37.5	-0.15	0.42	0.24	1.13
2	13.4	-2.1	66.9	93.6	9.1	30.8	58.0	32.6	-0.12	0.39	0.20	0.94
3	12.8	-1.6	64.7	90.0	8.4	29.7	56.5	30.1	-0.10	0.37	0.18	0.76
4	12.4	-1.3	63.0	87.5	8.1	28.7	55.4	28.4	-0.09	0.36	0.16	0.71
5	12.0	-1.0	61.9	85.5	7.8	27.9	54.5	27.1	-0.09	0.35	0.16	0.67
10	10.9	-0.3	58.3	79.7	6.8	25.6	51.4	22.7	-0.07	0.31	0.12	0.53
15	10.2	0.2	56.1	76.2	5.9	24.4	49.6	20.1	-0.06	0.28	0.11	0.48
20	9.6	0.6	54.5	73.7	5.3	23.3	48.3	18.0	-0.05	0.27	0.09	0.46
25	9.0	0.9	53.1	71.5	4.7	22.5	47.3	16.4	-0.05	0.25	0.08	0.44
30	8.6	1.1	51.8	69.8	4.2	21.7	46.3	15.1	-0.04	0.23	0.07	0.41
35	8.1	1.4	50.8	68.0	3.7	21.1	45.6	13.7	-0.04	0.22	0.05	0.39
40	7.8	1.6	49.8	66.3	3.4	20.4	44.7	12.5	-0.04	0.21	0.04	0.37
45	7.4	1.8	48.8	64.7	2.9	19.8	44.0	11.4	-0.04	0.20	0.03	0.35
50	7.0	2.1	47.8	63.2	2.5	19.2	43.2	10.1	-0.04	0.20	0.02	0.35
55	6.6	2.3	46.8	61.7	2.1	18.6	42.5	9.0	-0.04	0.19	0.01	0.32
60	6.2	2.5	45.9	60.0	1.8	18.0	41.7	7.8	-0.03	0.18	0.00	0.30
65	5.8	2.7	44.9	58.4	1.4	17.3	40.9	6.6	-0.03	0.17	-0.01	0.28
70	5.3	3.0	43.8	56.6	1.0	16.7	40.0	5.2	-0.03	0.16	-0.02	0.28
75	4.9	3.3	42.8	54.6	0.5	16.0	39.1	3.7	-0.03	0.15	-0.03	0.25
80	4.3	3.6	41.5	52.3	-0.1	15.2	38.0	1.9	-0.03	0.13	-0.04	0.23
85	3.7	4.1	40.0	49.8	-0.7	14.2	36.9	0.1	-0.02	0.12	-0.05	0.21
90	3.0	4.6	37.7	46.8	-1.6	12.7	35.3	-1.9	-0.02	0.10	-0.07	0.16
95	1.8	5.4	34.7	42.7	-2.8	10.2	32.5	-4.9	-0.01	0.06	-0.10	0.12
<b>Average</b>	6.9	2.1	48.0	63.5	2.5	19.2	43.3	10.4	-0.04	0.20	0.03	0.36
<b>Low</b>	-5.3	-8.4	15.4	10.1	-14.6	-8.2	14.7	-29.9	-0.18	-0.22	-0.35	-0.21
<b>High</b>	18.2	12.9	90.4	141.0	14.1	42.3	77.0	60.8	0.07	0.73	0.65	1.38

>= 75% Maine Anjou

**Maine Anjou Nonparent Bulls  
Spring 2016 Genetic Evaluation on IGS COMMON BASE**

Percentile Level	Calving Ease	Birth Weight	Weaning Weight	Yearling Weight	Maternal Calving Ease	Maternal Milk	Maternal Wean Wt	Carcass Weight	Fat Thick.	Ribeye Area	Marbling	Pct. Retail Cuts
1	15.3	-3.5	69.7	101.5	9.6	31.9	58.9	37.1	-0.10	0.44	0.36	0.76
2	14.2	-2.7	66.4	94.4	8.9	30.2	56.6	33.0	-0.09	0.40	0.30	0.69
3	13.7	-2.3	64.7	91.9	8.4	28.9	55.3	30.2	-0.08	0.37	0.26	0.67
4	13.3	-2.0	63.3	90.0	8.0	28.0	53.7	28.5	-0.08	0.34	0.25	0.62
5	12.8	-1.8	62.2	87.9	7.7	27.3	52.9	27.3	-0.07	0.33	0.23	0.60
10	11.6	-1.0	58.3	81.2	6.5	24.7	49.8	22.9	-0.06	0.30	0.17	0.53
15	10.8	-0.4	56.1	77.2	5.8	23.3	48.3	20.1	-0.05	0.28	0.14	0.48
20	10.3	0.0	54.6	74.5	5.3	22.3	47.4	18.0	-0.05	0.27	0.12	0.46
25	9.7	0.3	53.0	72.3	4.8	21.6	46.5	16.2	-0.05	0.25	0.10	0.44
30	9.3	0.6	51.8	69.7	4.5	21.0	45.7	14.5	-0.04	0.24	0.09	0.41
35	8.8	0.8	50.8	67.9	4.1	20.4	44.9	13.1	-0.04	0.23	0.07	0.39
40	8.5	1.1	49.5	66.3	3.8	19.8	44.1	11.9	-0.04	0.22	0.06	0.37
45	8.1	1.3	48.6	64.6	3.4	19.4	43.5	10.8	-0.04	0.21	0.05	0.37
50	7.7	1.6	47.7	63.2	3.1	18.9	42.8	9.5	-0.04	0.21	0.04	0.35
55	7.4	1.8	46.7	61.5	2.6	18.4	42.2	8.3	-0.03	0.20	0.03	0.32
60	7.0	2.1	45.7	59.8	2.2	17.9	41.5	7.1	-0.03	0.19	0.02	0.30
65	6.6	2.4	44.4	58.2	1.8	17.4	40.8	5.7	-0.03	0.18	0.01	0.30
70	6.2	2.6	43.4	56.1	1.4	16.9	40.2	4.0	-0.03	0.17	0.00	0.28
75	5.8	2.9	42.2	54.2	0.9	16.2	39.4	2.5	-0.03	0.16	-0.01	0.25
80	5.3	3.2	41.0	52.0	0.4	15.6	38.5	0.9	-0.02	0.15	-0.02	0.23
85	4.7	3.7	39.2	49.7	-0.3	14.7	37.6	-0.8	-0.02	0.13	-0.03	0.21
90	4.0	4.2	37.0	45.8	-1.2	13.8	36.1	-3.3	-0.02	0.12	-0.05	0.16
95	3.0	5.2	33.4	41.4	-2.4	12.2	33.9	-7.1	-0.01	0.09	-0.07	0.12
<b>Average</b>	7.8	1.6	47.7	63.4	2.9	19.1	43.0	9.7	-0.04	0.21	0.05	0.35
<b>Low</b>	-6.0	-8.0	11.1	7.4	-9.3	-3.0	15.9	-31.6	-0.13	-0.10	-0.21	-0.14
<b>High</b>	20.3	10.6	80.6	112.9	11.0	38.0	65.3	48.4	0.02	0.72	0.59	0.99

>= 75% Maine Anjou

**Maine Anjou Nonparent Cows**  
**Spring 2016 Genetic Evaluation on IGS COMMON BASE**

Percentile Level	Calving Ease	Birth Weight	Weaning Weight	Yearling Weight	Maternal Calving Ease	Maternal Milk	Maternal Wean Wt	Carcass Weight	Fat Thick.	Ribeye Area	Marbling	Pct. Retail Cuts
1	14.7	-3.3	68.3	96.8	8.8	29.6	57.1	35.4	-0.10	0.41	0.27	0.78
2	13.7	-2.5	65.4	92.1	8.2	28.0	54.9	31.9	-0.09	0.38	0.24	0.74
3	13.0	-2.1	63.7	88.6	7.8	27.3	53.2	29.2	-0.08	0.35	0.21	0.69
4	12.6	-1.7	62.1	86.6	7.3	26.6	52.4	27.4	-0.08	0.34	0.19	0.64
5	12.2	-1.5	61.3	85.2	7.1	25.9	51.6	26.3	-0.08	0.33	0.18	0.62
10	11.1	-0.7	57.5	79.4	6.1	24.1	49.3	22.0	-0.06	0.30	0.14	0.53
15	10.4	-0.3	55.4	75.8	5.5	23.1	48.0	19.3	-0.06	0.28	0.12	0.48
20	9.9	0.1	53.7	73.3	4.9	22.4	47.1	17.4	-0.05	0.26	0.10	0.46
25	9.4	0.4	52.4	71.2	4.4	21.7	46.2	15.8	-0.05	0.25	0.09	0.44
30	9.0	0.6	51.2	68.9	4.0	21.1	45.5	14.3	-0.05	0.24	0.08	0.41
35	8.6	0.9	50.1	67.2	3.7	20.6	44.7	13.0	-0.04	0.23	0.06	0.39
40	8.2	1.2	49.2	65.6	3.3	20.1	44.1	11.7	-0.04	0.22	0.05	0.39
45	7.8	1.4	48.0	63.9	3.0	19.6	43.4	10.4	-0.04	0.21	0.04	0.37
50	7.5	1.7	47.2	62.3	2.7	19.2	42.8	9.2	-0.04	0.20	0.03	0.35
55	7.1	1.9	46.2	61.0	2.4	18.8	42.2	8.2	-0.04	0.19	0.02	0.35
60	6.7	2.1	45.3	59.4	2.0	18.4	41.7	7.0	-0.03	0.19	0.01	0.32
65	6.3	2.4	44.4	57.9	1.6	17.8	41.0	5.7	-0.03	0.18	0.00	0.30
70	5.9	2.7	43.4	56.3	1.2	17.3	40.3	4.5	-0.03	0.17	-0.01	0.30
75	5.4	3.1	42.3	54.5	0.7	16.7	39.5	3.1	-0.03	0.16	-0.02	0.28
80	5.0	3.4	41.1	52.5	0.2	16.1	38.8	1.6	-0.03	0.15	-0.03	0.25
85	4.5	3.8	39.7	50.3	-0.4	15.3	37.8	-0.3	-0.03	0.13	-0.04	0.23
90	3.7	4.4	37.6	47.2	-1.1	14.2	36.7	-2.6	-0.02	0.12	-0.05	0.21
95	2.6	5.4	33.8	41.1	-2.3	12.6	34.9	-6.7	-0.02	0.09	-0.07	0.16
<b>Average</b>	7.4	1.8	47.4	62.8	2.6	19.2	43.0	9.5	-0.04	0.20	0.04	0.37
<b>Low</b>	-3.9	-8.4	7.7	-0.6	-8.7	3.7	14.9	-39.5	-0.14	-0.11	-0.19	-0.25
<b>High</b>	19.6	11.4	99.3	138.5	11.7	38.6	72.6	58.0	0.03	0.58	0.51	0.94

>= 75% Maine Anjou