

Active MaineTainer Sires
Spring 2016 Genetic Evaluation on IGS COMMON BASE

Percentile Level	Calving Ease	Birth Weight	Weaning Weight	Yearling Weight	Maternal Calving Ease	Maternal Milk	Maternal Wean Wt	Carcass Weight	Fat Thick.	Ribeye Area	Marbling	Pct. Retail Cuts
1	14.8	-2.3	66.0	90.5	9.5	28.2	52.8	29.8	-0.12	0.45	0.32	0.85
2	13.8	-1.8	60.8	85.8	8.8	27.0	50.6	23.4	-0.10	0.41	0.30	0.81
3	13.2	-1.6	59.2	81.1	8.2	26.3	49.6	21.9	-0.09	0.37	0.27	0.71
4	12.8	-1.3	57.9	79.1	7.8	25.6	48.9	20.9	-0.09	0.35	0.26	0.69
5	12.5	-1.1	57.1	77.5	7.3	25.1	48.4	20.1	-0.08	0.34	0.25	0.67
10	11.5	-0.5	53.7	72.9	6.1	23.3	46.3	17.0	-0.07	0.30	0.21	0.60
15	10.6	-0.1	51.7	69.8	5.4	22.2	44.9	14.7	-0.06	0.27	0.19	0.53
20	9.9	0.2	50.1	67.7	4.6	21.3	43.8	13.3	-0.05	0.25	0.17	0.48
25	9.3	0.6	48.8	65.7	3.9	20.5	42.9	11.7	-0.05	0.23	0.15	0.44
30	8.7	0.8	47.5	63.5	3.3	19.9	42.1	10.4	-0.05	0.22	0.13	0.44
35	8.2	1.0	46.5	61.8	2.6	19.5	41.5	9.4	-0.04	0.20	0.12	0.39
40	7.8	1.2	45.5	60.2	2.2	18.9	40.9	8.1	-0.04	0.19	0.11	0.37
45	7.4	1.4	44.6	58.7	1.7	18.4	40.4	7.0	-0.04	0.18	0.10	0.35
50	6.9	1.6	43.8	57.1	1.3	17.7	39.8	6.1	-0.03	0.17	0.09	0.35
55	6.5	1.8	43.0	56.0	0.8	17.0	39.1	5.1	-0.03	0.16	0.08	0.32
60	6.0	2.0	42.2	54.4	0.4	16.4	38.5	4.0	-0.03	0.15	0.07	0.30
65	5.6	2.2	41.5	53.0	-0.2	15.9	37.8	2.6	-0.03	0.14	0.05	0.28
70	5.0	2.4	40.3	51.4	-0.7	15.3	37.0	1.7	-0.02	0.13	0.04	0.25
75	4.4	2.6	39.1	49.7	-1.5	14.6	36.3	0.6	-0.02	0.11	0.03	0.23
80	3.9	2.9	37.7	48.0	-2.5	14.0	35.3	-0.5	-0.02	0.10	0.01	0.21
85	3.4	3.2	36.3	45.7	-3.3	13.2	34.4	-1.9	-0.02	0.09	-0.02	0.18
90	2.3	3.6	34.1	42.4	-4.4	12.2	33.1	-4.0	-0.01	0.07	-0.03	0.16
95	1.2	4.3	30.7	38.0	-6.4	10.6	31.4	-6.9	0.00	0.04	-0.08	0.09
Average	6.9	1.6	44.0	57.7	1.0	17.7	39.7	6.3	-0.04	0.18	0.09	0.35
Low	-4.8	-5.7	14.8	14.4	-16.7	-15.5	21.8	-22.8	-0.15	-0.23	-0.21	-0.12
High	19.3	8.4	74.5	107.8	13.3	33.6	59.3	39.9	0.06	0.56	0.47	1.10

**Active MaineTainer Dams
Spring 2016 Genetic Evaluation on IGS COMMON BASE**

Percentile Level	Calving Ease	Birth Weight	Weaning Weight	Yearling Weight	Maternal Calving Ease	Maternal Milk	Maternal Wean Wt	Carcass Weight	Fat Thick.	Ribeye Area	Marbling	Pct. Retail Cuts
1	14.1	-2.5	63.5	88.8	9.4	29.3	55.0	27.7	-0.14	0.43	0.34	1.01
2	13.3	-2.0	60.9	85.1	8.4	27.4	52.5	25.6	-0.12	0.38	0.30	0.87
3	12.7	-1.6	59.3	82.5	7.7	26.5	51.3	24.1	-0.12	0.35	0.27	0.83
4	12.4	-1.3	58.2	81.0	7.3	25.8	50.4	22.4	-0.11	0.34	0.26	0.78
5	12.1	-1.1	57.4	79.7	7.0	25.2	49.8	21.5	-0.10	0.32	0.25	0.76
10	11.0	-0.5	54.6	74.6	5.9	23.3	47.6	18.1	-0.08	0.29	0.21	0.62
15	10.2	0.0	52.7	71.8	5.1	22.2	46.1	16.0	-0.07	0.26	0.18	0.55
20	9.6	0.3	51.1	69.3	4.4	21.4	44.9	14.4	-0.06	0.25	0.16	0.51
25	9.1	0.6	49.9	67.4	3.8	20.8	44.1	12.9	-0.06	0.23	0.14	0.48
30	8.6	0.8	48.8	65.4	3.3	20.2	43.3	11.6	-0.05	0.22	0.13	0.44
35	8.2	1.0	47.8	63.7	2.8	19.5	42.5	10.5	-0.05	0.21	0.12	0.41
40	7.9	1.2	46.9	62.3	2.4	18.9	41.9	9.3	-0.04	0.19	0.11	0.39
45	7.6	1.4	46.1	60.8	2.0	18.4	41.2	8.2	-0.04	0.18	0.10	0.37
50	7.2	1.6	45.2	59.5	1.6	17.9	40.7	7.0	-0.04	0.17	0.08	0.35
55	6.9	1.8	44.5	57.9	1.2	17.4	40.0	6.0	-0.03	0.16	0.07	0.32
60	6.5	1.9	43.7	56.2	0.9	16.9	39.2	5.0	-0.03	0.15	0.06	0.30
65	6.1	2.2	42.7	54.7	0.6	16.4	38.5	4.0	-0.03	0.14	0.05	0.28
70	5.6	2.4	41.6	53.2	0.1	15.8	37.7	2.9	-0.03	0.13	0.03	0.28
75	5.1	2.6	40.4	51.5	-0.4	15.1	36.8	1.8	-0.03	0.11	0.02	0.25
80	4.5	2.9	39.2	49.4	-1.2	14.3	35.9	0.5	-0.02	0.10	0.00	0.23
85	3.9	3.2	37.6	47.2	-2.4	13.3	34.7	-1.2	-0.02	0.08	-0.03	0.21
90	3.1	3.7	35.5	44.4	-3.6	11.8	33.1	-3.5	-0.02	0.07	-0.05	0.16
95	2.0	4.3	32.8	40.0	-5.1	9.8	31.0	-6.4	-0.01	0.03	-0.10	0.12
Average	7.1	1.6	45.2	59.4	1.4	17.8	40.5	7.3	-0.04	0.17	0.08	0.38
Low	-3.6	-6.1	10.5	9.5	-16.9	-0.8	17.7	-25.6	-0.23	-0.30	-0.36	-0.18
High	17.6	9.4	77.3	115.7	13.0	45.6	74.4	45.3	0.04	0.86	0.53	1.59

MaineTainer Nonparent Bulls
Spring 2016 Genetic Evaluation on IGS COMMON BASE

Percentile Level	Calving Ease	Birth Weight	Weaning Weight	Yearling Weight	Maternal Calving Ease	Maternal Milk	Maternal Wean Wt	Carcass Weight	Fat Thick.	Ribeye Area	Marbling	Pct. Retail Cuts
1	15.1	-3.1	68.4	97.6	9.3	26.4	53.6	32.0	-0.11	0.45	0.38	0.81
2	14.1	-2.5	64.3	91.7	8.5	25.1	51.4	29.3	-0.10	0.41	0.35	0.71
3	13.7	-2.1	62.3	87.5	7.9	24.5	50.2	26.9	-0.09	0.37	0.31	0.69
4	13.5	-1.9	60.7	85.4	7.6	24.0	49.5	24.8	-0.08	0.36	0.29	0.66
5	13.1	-1.7	59.5	83.9	7.4	23.6	48.7	23.5	-0.08	0.35	0.27	0.64
10	11.8	-1.1	56.1	77.4	6.1	22.3	46.9	19.2	-0.07	0.30	0.23	0.55
15	11.0	-0.7	53.9	74.0	5.5	21.4	45.5	16.7	-0.06	0.27	0.20	0.48
20	10.5	-0.3	52.4	71.1	4.8	20.7	44.7	15.2	-0.05	0.25	0.17	0.46
25	9.9	0.0	50.8	68.9	4.2	20.2	43.8	13.6	-0.05	0.24	0.16	0.44
30	9.5	0.3	49.6	67.1	3.7	19.7	43.0	12.1	-0.04	0.22	0.14	0.41
35	9.0	0.6	48.6	65.3	3.3	19.3	42.4	10.9	-0.04	0.21	0.13	0.39
40	8.5	0.8	47.5	63.5	2.8	18.9	41.8	9.8	-0.04	0.20	0.12	0.37
45	8.1	1.1	46.3	61.9	2.5	18.4	41.1	8.7	-0.04	0.19	0.10	0.35
50	7.6	1.3	45.3	60.3	2.1	18.0	40.6	7.6	-0.03	0.18	0.09	0.32
55	7.3	1.5	44.4	58.8	1.8	17.5	40.0	6.6	-0.03	0.16	0.08	0.32
60	6.8	1.8	43.6	57.1	1.3	17.0	39.5	5.3	-0.03	0.15	0.07	0.30
65	6.5	2.0	42.6	55.5	0.8	16.6	38.9	4.2	-0.03	0.14	0.06	0.28
70	6.0	2.3	41.7	54.0	0.1	16.0	38.2	3.0	-0.03	0.13	0.05	0.25
75	5.6	2.6	40.6	52.2	-0.7	15.4	37.6	1.5	-0.02	0.12	0.04	0.25
80	5.0	2.9	39.3	50.3	-1.7	14.8	36.8	0.2	-0.02	0.11	0.02	0.23
85	4.3	3.3	37.6	47.8	-2.8	14.0	35.8	-1.7	-0.02	0.09	0.00	0.18
90	3.4	3.8	35.1	44.3	-3.9	13.0	34.5	-4.3	-0.01	0.08	-0.03	0.16
95	2.1	4.6	31.7	39.5	-5.5	11.5	32.4	-7.4	-0.01	0.04	-0.07	0.12
Average	7.7	1.3	45.7	60.8	1.6	17.8	40.7	7.7	-0.04	0.18	0.10	0.34
Low	-2.9	-5.4	13.4	6.1	-11.5	2.7	19.6	-34.4	-0.13	-0.17	-0.31	-0.28
High	17.7	8.8	86.7	130.6	11.4	32.3	61.0	57.6	0.03	0.73	0.90	1.04

MaineTainer Nonparent Cows
Spring 2016 Genetic Evaluation on IGS COMMON BASE

Percentile Level	Calving Ease	Birth Weight	Weaning Weight	Yearling Weight	Maternal Calving Ease	Maternal Milk	Maternal Wean Wt	Carcass Weight	Fat Thick.	Ribeye Area	Marbling	Pct. Retail Cuts
1	14.6	-3.1	64.4	92.3	8.6	25.9	52.2	28.6	-0.11	0.42	0.35	0.81
2	13.8	-2.4	61.5	86.5	7.6	24.9	50.2	25.6	-0.10	0.38	0.31	0.74
3	13.3	-2.1	59.4	83.0	7.2	24.3	49.3	23.6	-0.10	0.36	0.28	0.71
4	12.8	-1.9	57.9	81.0	6.8	23.9	48.6	21.9	-0.09	0.35	0.25	0.69
5	12.4	-1.7	57.1	79.2	6.5	23.4	47.9	21.0	-0.09	0.33	0.25	0.67
10	11.4	-1.0	53.7	74.2	5.4	22.2	45.9	17.2	-0.07	0.29	0.20	0.60
15	10.6	-0.5	51.8	70.9	4.6	21.4	44.7	14.9	-0.06	0.26	0.18	0.53
20	10.1	-0.2	50.3	68.5	4.0	20.8	43.8	13.4	-0.06	0.24	0.16	0.51
25	9.6	0.1	49.1	66.4	3.5	20.3	43.1	12.0	-0.05	0.23	0.14	0.46
30	9.2	0.3	48.2	64.6	3.1	19.9	42.5	10.8	-0.05	0.22	0.13	0.44
35	8.8	0.6	47.2	63.1	2.7	19.4	41.9	9.7	-0.05	0.21	0.12	0.41
40	8.4	0.9	46.3	61.7	2.4	19.0	41.3	8.7	-0.04	0.20	0.11	0.39
45	8.0	1.1	45.4	60.2	2.1	18.6	40.9	7.7	-0.04	0.19	0.10	0.39
50	7.6	1.3	44.6	59.0	1.7	18.1	40.3	6.6	-0.04	0.17	0.09	0.37
55	7.2	1.5	43.7	57.6	1.3	17.7	39.9	5.7	-0.04	0.16	0.08	0.35
60	6.8	1.7	42.9	56.3	0.8	17.2	39.3	4.7	-0.03	0.15	0.07	0.32
65	6.5	1.9	42.1	54.9	0.3	16.7	38.7	3.7	-0.03	0.14	0.06	0.30
70	6.1	2.2	41.1	53.5	-0.3	16.2	38.1	2.5	-0.03	0.13	0.05	0.30
75	5.6	2.4	40.1	51.8	-1.1	15.6	37.4	1.2	-0.03	0.12	0.03	0.28
80	5.1	2.7	38.9	49.8	-2.0	15.0	36.5	-0.2	-0.02	0.11	0.01	0.25
85	4.4	3.0	37.2	47.4	-3.0	14.2	35.5	-1.9	-0.02	0.09	-0.01	0.23
90	3.7	3.4	35.4	44.2	-4.0	13.2	34.3	-4.4	-0.02	0.07	-0.04	0.21
95	2.4	4.2	31.8	38.9	-5.5	11.7	32.4	-8.0	-0.01	0.03	-0.09	0.14
Average	7.6	1.3	44.6	59.1	1.1	17.9	40.2	6.6	-0.04	0.18	0.09	0.38
Low	-4.3	-7.7	15.3	16.7	-14.3	-0.1	15.7	-29.9	-0.13	-0.30	-0.26	-0.09
High	17.5	10.2	81.9	117.0	11.2	30.3	61.8	48.1	0.03	0.75	0.49	1.08